		General Information			
Sample Name (IGSN)	EX1605L3-D12-1				
Describer	Kevin Konrad				
Sample Location	Unnamed Forearc				
Lithology prefix					
General Lithology	Serpentinite				
Texture 1					
Texture 2					
Whole Rock Original (%)	100	Check [ Ph + Vs + Gm = 100% ]	ОК		
Whole Rock Present (%)	100	Check [ Or = Pr + Rf ]	ОК		
Whole Rock Replaced (%)	0	Check [ Or = Pr + Rf ]	ОК		
Total Groundmass Original (%)	100	Check [ Gp + Gl + Ms = 100% ]	ОК		
Total Groundmass Present (%)	100	Check [ Or = Pr + Rf ]	ОК		
Total Groundmass Replaced (%)	0	Check [ Or = Pr + Rf ]	ОК		
,		altered serpentinized rock. Appears to have been a m altered to some orange mineral. Sample contains	•		
Thin Section Summary		nzed mafic rock, likely a basalt but too pervasively rec and reddish serpentine veins. Two fossil crystal (phen- were likely olivine grains.	ocrysts?) exist in the thin section and		





PHENOCRYSTS [Ph]	OL	PLAG	ОРХ	СРХ	SPINEL	OTHER	VESICLES [Vs]	GRNDM [Gm]
Original (%) [ Or ]	OL .	ILAG	OTA	CIX	31 HALL	OTTLER	VESICEES [VS]	100
Present (%) [ Pr ]								100
Replaced / Filled (%) [ Rf ]								0
Check [ Or = Pr + Rf ]	ОК	ОК	OK	OK	OK	OK	OK	OK
Minimum Size (mm)								
Maximum Size (mm)								
Modal Size (mm)								
Shape								
Habit								
Zonation Type								
Zonation Extent								
Exsolution Type								
Special Features								
Comments								

GROUNDMASS [Gp]	OL	PLAG	ОРХ	СРХ	SPINEL	OTHER	GLASS [GI]	MSTASIS [Ms]
Original (%) [ Or ]								
Present (%) [ Pr ]								
Replaced / Filled (%) [ Rf ]								
Check [ Or = Pr + Rf ]	ОК	OK	ОК	ОК	ОК	ОК	OK	ОК
Minimum Size (mm)								
Maximum Size (mm)								
Modal Size (mm)								
Shape								
Habit								
Comments								

